



BREED ANCESTRY

German Shepherd Dog: 100.0%

GENETIC STATS

Predicted adult weight: **69 lbs**Life stage: **Mature adult**Based on your dog's date of birth provided.

TEST DETAILS

Kit number: EM-13687940

Swab number: 31220610302286





DNA Test Report

Test Date: January 23rd, 2024

embk.me/pensivekhyzyldesneigesdelaltai

GERMAN SHEPHERD DOG



The German Shepherd dog is the second most popular dog breed in the United States, and the fourth most popular in the United Kingdom (where it is known as the Alsatian). This breed was standardized in Germany at the end of the 19th century from local dogs used for herding and livestock guarding. Their confidence, courageousness and keen sense of smell coupled with their notable intelligence make them highly suited to police work, military roles, and search and rescue. German Shepherds require regular physical and mental exercise and have a heavy shedding coat that comes in both short and long varieties. They were first recognized by the AKC in 1908 and later became fashionable as soldiers returning from WWI spoke highly of the German dogs and Hollywood popularized the breed with stars like Strongheart and Rin Tin Tin.

Fun Fact

Despite being sometimes called the "Alsatian wolf dog", German Shepherds are not true wolf dogs— they are 100% dog. Nevertheless, German shepherds were crossed with wolves in the past to form the Czechoslovakian and Saarloos wolfdog breeds. German Shepherds, along with other breeds and sled dogs, were also used in the creation of the Chinook breed.







DNA Test Report

Test Date: January 23rd, 2024

embk.me/pensivekhyzyldesneigesdelaltai

MATERNAL LINE



Through Khyzyl's mitochondrial DNA we can trace her mother's ancestry back to where dogs and people first became friends. This map helps you visualize the routes that her ancestors took to your home. Their story is described below the map.

HAPLOGROUP: A1b

This female lineage was very likely one of the original lineages in the wolves that were first domesticated into dogs in Central Asia about 15,000 years ago. Since then, the lineage has been very successful and travelled the globe! Dogs from this group are found in ancient Bronze Age fossils in the Middle East and southern Europe. By the end of the Bronze Age, it became exceedingly common in Europe. These dogs later became many of the dogs that started some of today's most popular breeds, like German Shepherds, Pugs, Whippets, English Sheepdogs and Miniature Schnauzers. During the period of European colonization, the lineage became even more widespread as European dogs followed their owners to farflung places like South America and Oceania. It's now found in many popular breeds as well as village dogs across the world!

HAPLOTYPE: A361/409/611

Part of the A1b haplogroup, this haplotype occurs most frequently in German Shepherd Dogs, Poodles, and Shiloh Shepherds.







embk.me/pensivekhyzyldesneigesdelaltai

TRAITS: COAT COLOR

TRAIT RESULT

E Locus (MC1R)

The E Locus determines if and where a dog can produce dark (black or brown) hair. Dogs with two copies of the recessive **e** allele do not produce dark hairs at all, and will be "red" over their entire body. The shade of red, which can range from a deep copper to yellow/gold to cream, is dependent on other genetic factors including the Intensity loci. In addition to determining if a dog can develop dark hairs at all, the E Locus can give a dog a black "mask" or "widow's peak," unless the dog has overriding coat color genetic factors. Dogs with one or two copies of the **Em** allele usually have a melanistic mask (dark facial hair as commonly seen in the German Shepherd and Pug). Dogs with no copies of **Em** but one or two copies of the **Eg** allele usually have a melanistic "widow's peak" (dark forehead hair as commonly seen in the Afghan Hound and Borzoi, where it is called either "grizzle" or "domino").

No dark mask or grizzle (Ee)

K Locus (CBD103)

The K Locus K^B allele "overrides" the A Locus, meaning that it prevents the A Locus genotype from affecting coat color. For this reason, the K^B allele is referred to as the "dominant black" allele. As a result, dogs with at least one K^B allele will usually have solid black or brown coats (or red/cream coats if they are ee at the E Locus) regardless of their genotype at the A Locus, although several other genes could impact the dog's coat and cause other patterns, such as white spotting. Dogs with the k^yk^y genotype will show a coat color pattern based on the genotype they have at the A Locus. Dogs who test as K^Bk^y may be brindle rather than black or brown.

More likely to have a patterned haircoat (k^yk^y)









embk.me/pensivekhyzyldesneigesdelaltai

TRAITS: COAT COLOR (CONTINUED)

TRAIT RESULT

Intensity Loci LINKAGE

Areas of a dog's coat where dark (black or brown) pigment is not expressed either contain red/yellow pigment, or no pigment at all. Five locations across five chromosomes explain approximately 70% of red pigmentation "intensity" variation across all dogs. Dogs with a result of Intense Red Pigmentation will likely have deep red hair like an Irish Setter or "apricot" hair like some Poodles, dogs with a result of Intermediate Red Pigmentation will likely have tan or yellow hair like a Soft-Coated Wheaten Terrier, and dogs with Dilute Red Pigmentation will likely have cream or white hair like a Samoyed. Because the mutations we test may not directly cause differences in red pigmentation intensity, we consider this to be a linkage test.

Any light hair likely white or cream (Dilute Red Pigmentation)

A Locus (ASIP)

The A Locus controls switching between black and red pigment in hair cells, but it will only be expressed in dogs that are not **ee** at the E Locus and are **k**^y**k**^y at the K Locus. Sable (also called "Fawn") dogs have a mostly or entirely red coat with some interspersed black hairs. Agouti (also called "Wolf Sable") dogs have red hairs with black tips, mostly on their head and back. Black and tan dogs are mostly black or brown with lighter patches on their cheeks, eyebrows, chest, and legs. Recessive black dogs have solid-colored black or brown coats.

Agouti (Wolf Sable) coat color pattern (a^wa)

D Locus (MLPH)

The D locus result that we report is determined by three different genetic variants that can work together to cause diluted pigmentation. These are the common **d** allele, also known as "**d1**", and the less common alleles known as "**d2**" and "**d3**". Dogs with two **d** alleles, regardless of which variant, will have all black pigment lightened ("diluted") to gray, or brown pigment lightened to lighter brown in their hair, skin, and sometimes eyes. There are many breed-specific names for these dilute colors, such as "blue", "charcoal", "fawn", "silver", and "Isabella". Note that in certain breeds, dilute dogs have a higher incidence of Color Dilution Alopecia. Dogs with one **d** allele will not be dilute, but can pass the **d** allele on to their puppies. To view your dog's **d1**, **d2**, and **d3** test results, click the "SEE DETAILS" link in the upper right hand corner of the "Base Coat Color" section of the Traits page, and then click the "VIEW SUBLOCUS RESULTS" link at the bottom of the page.

Dark areas of hair and skin are not lightened (DD)







TRAITS: COAT COLOR (CONTINUED)

TRAIT RESULT

Cocoa (HPS3)

Dogs with the **coco** genotype will produce dark brown pigment instead of black in both their hair and skin. Dogs with the **Nco** genotype will produce black pigment, but can pass the **co** allele on to their puppies. Dogs that have the **coco** genotype as well as the **bb** genotype at the B locus are generally a lighter brown than dogs that have the **Bb** or **BB** genotypes at the B locus.

No co alleles, not expressed (NN)

B Locus (TYRP1)

Dogs with two copies of the **b** allele produce brown pigment instead of black in both their hair and skin.

Dogs with one copy of the **b** allele will produce black pigment, but can pass the **b** allele on to their puppies.

E Locus **ee** dogs that carry two **b** alleles will have red or cream coats, but have brown noses, eye rims, and footpads (sometimes referred to as "Dudley Nose" in Labrador Retrievers). "Liver" or "chocolate" is the preferred color term for brown in most breeds; in the Doberman Pinscher it is referred to as "red".

Black or gray hair and skin (BB)

Saddle Tan (RALY)

The "Saddle Tan" pattern causes the black hairs to recede into a "saddle" shape on the back, leaving a tan face, legs, and belly, as a dog ages. The Saddle Tan pattern is characteristic of breeds like the Corgi, Beagle, and German Shepherd. Dogs that have the **II** genotype at this locus are more likely to be mostly black with tan points on the eyebrows, muzzle, and legs as commonly seen in the Doberman Pinscher and the Rottweiler. This gene modifies the A Locus **a**^t allele, so dogs that do not express **a**^t are not influenced by this gene.

Not expressed (NI)

S Locus (MITF)

The S Locus determines white spotting and pigment distribution. MITF controls where pigment is produced, and an insertion in the MITF gene causes a loss of pigment in the coat and skin, resulting in white hair and/or pink skin. Dogs with two copies of this variant will likely have breed-dependent white patterning, with a nearly white, parti, or piebald coat. Dogs with one copy of this variant will have more limited white spotting and may be considered flash, parti or piebald. This MITF variant does not explain all white spotting patterns in dogs and other variants are currently being researched. Some dogs may have small amounts of white on the paws, chest, face, or tail regardless of their S Locus genotype.

Likely to have little to no white in coat (SS)







TRAITS: COAT COLOR (CONTINUED)

TRAIT RESULT

M Locus (PMEL)

Merle coat patterning is common to several dog breeds including the Australian Shepherd, Catahoula Leopard Dog, and Shetland Sheepdog, among many others. Merle arises from an unstable SINE insertion (which we term the "M*" allele) that disrupts activity of the pigmentary gene PMEL, leading to mottled or patchy coat color. Dogs with an M*m result are likely to be phenotypically merle or could be "non-expressing" merle, meaning that the merle pattern is very subtle or not at all evident in their coat. Dogs with an M*M* result are likely to be phenotypically merle or double merle. Dogs with an mm result have no merle alleles and are unlikely to have a merle coat pattern.

No merle alleles (mm)

Note that Embark does not currently distinguish between the recently described cryptic, atypical, atypical+, classic, and harlequin merle alleles. Our merle test only detects the presence, but not the length of the SINE insertion. We do not recommend making breeding decisions on this result alone. Please pursue further testing for allelic distinction prior to breeding decisions.

R Locus (USH2A) LINKAGE

The R Locus regulates the presence or absence of the roan coat color pattern. Partial duplication of the USH2A gene is strongly associated with this coat pattern. Dogs with at least one **R** allele will likely have roaning on otherwise uniformly unpigmented white areas. Roan appears in white areas controlled by the S Locus but not in other white or cream areas created by other loci, such as the E Locus with **ee** along with Dilute Red Pigmentation by I Locus (for example, in Samoyeds). Mechanisms for controlling the extent of roaning are currently unknown, and roaning can appear in a uniform or non-uniform pattern. Further, non-uniform roaning may appear as ticked, and not obviously roan. The roan pattern can appear with or without ticking.

Likely no impact on coat pattern (Rr)

H Locus (Harlequin)

This pattern is recognized in Great Danes and causes dogs to have a white coat with patches of darker pigment. A dog with an **Hh** result will be harlequin if they are also **M*m** or **M*M*** at the M Locus and are not **ee** at the E locus. Dogs with a result of **hh** will not be harlequin. This trait is thought to be homozygous lethal; a living dog with an **HH** genotype has never been found.

No harlequin alleles (hh)







TRAITS: OTHER COAT TRAITS

TRAIT RESULT

Furnishings (RSPO2) LINKAGE

Dogs with one or two copies of the **F** allele have "furnishings": the mustache, beard, and eyebrows characteristic of breeds like the Schnauzer, Scottish Terrier, and Wire Haired Dachshund. A dog with two **I** alleles will not have furnishings, which is sometimes called an "improper coat" in breeds where furnishings are part of the breed standard. The mutation is a genetic insertion which we measure indirectly using a linkage test highly correlated with the insertion.

Likely unfurnished (no mustache, beard, and/or eyebrows) (II)

Coat Length (FGF5)

The FGF5 gene is known to affect hair length in many different species, including cats, dogs, mice, and humans. In dogs, the **T** allele confers a long, silky haircoat as observed in the Yorkshire Terrier and the Long Haired Whippet. The ancestral **G** allele causes a shorter coat as seen in the Boxer or the American Staffordshire Terrier. In certain breeds (such as Corgi), the long haircoat is described as "fluff."

Likely long coat (TT)

Shedding (MC5R)

Dogs with at least one copy of the ancestral **C** allele, like many Labradors and German Shepherd Dogs, are heavy or seasonal shedders, while those with two copies of the **T** allele, including many Boxers, Shih Tzus and Chihuahuas, tend to be lighter shedders. Dogs with furnished/wire-haired coats caused by RSPO2 (the furnishings gene) tend to be low shedders regardless of their genotype at this gene.

Likely heavy/seasonal shedding (CC)

Coat Texture (KRT71)

Dogs with a long coat and at least one copy of the **T** allele have a wavy or curly coat characteristic of Poodles and Bichon Frises. Dogs with two copies of the ancestral **C** allele are likely to have a straight coat, but there are other factors that can cause a curly coat, for example if they at least one **F** allele for the Furnishings (RSPO2) gene then they are likely to have a curly coat. Dogs with short coats may carry one or two copies of the **T** allele but still have straight coats.

Likely straight coat (CC)







embk.me/pensivekhyzyldesneigesdelaltai

TRAITS: OTHER COAT TRAITS (CONTINUED)

TRAIT RESULT

Hairlessness (FOXI3) LINKAGE

A duplication in the FOXI3 gene causes hairlessness over most of the body as well as changes in tooth shape and number. This mutation occurs in Peruvian Inca Orchid, Xoloitzcuintli (Mexican Hairless), and Chinese Crested (other hairless breeds have different mutations). Dogs with the **NDup** genotype are likely to be hairless while dogs with the **NN** genotype are likely to have a normal coat. The **DupDup** genotype has never been observed, suggesting that dogs with that genotype cannot survive to birth. Please note that this is a linkage test, so it may not be as predictive as direct tests of the mutation in some lines.

Very unlikely to be hairless (NN)

Hairlessness (SGK3)

Hairlessness in the American Hairless Terrier arises from a mutation in the SGK3 gene. Dogs with the **DD** result are likely to be hairless. Dogs with the **ND** genotype will have a normal coat, but can pass the **D** variant on to their offspring.

Very unlikely to be hairless (NN)

Oculocutaneous Albinism Type 2 (SLC45A2) LINKAGE

Dogs with two copies **DD** of this deletion in the SLC45A2 gene have oculocutaneous albinism (OCA), also known as Doberman Z Factor Albinism, a recessive condition characterized by severely reduced or absent pigment in the eyes, skin, and hair. Affected dogs sometimes suffer from vision problems due to lack of eye pigment (which helps direct and absorb ambient light) and are prone to sunburn. Dogs with a single copy of the deletion **ND** will not be affected but can pass the mutation on to their offspring. This particular mutation can be traced back to a single white Doberman Pinscher born in 1976, and it has only been observed in dogs descended from this individual. Please note that this is a linkage test, so it may not be as predictive as direct tests of the mutation in some lines.

Likely not albino (NN)









embk.me/pensivekhyzyldesneigesdelaltai

TRAITS: OTHER BODY FEATURES

TRAIT RESULT

Muzzle Length (BMP3)

Dogs in medium-length muzzle (mesocephalic) breeds like Staffordshire Terriers and Labradors, and long muzzle (dolichocephalic) breeds like Whippet and Collie have one, or more commonly two, copies of the ancestral \mathbf{C} allele. Dogs in many short-length muzzle (brachycephalic) breeds such as the English Bulldog, Pug, and Pekingese have two copies of the derived \mathbf{A} allele. At least five different genes affect muzzle length in dogs, with BMP3 being the only one with a known causal mutation. For example, the skull shape of some breeds, including the dolichocephalic Scottish Terrier or the brachycephalic Japanese Chin, appear to be caused by other genes. Thus, dogs may have short or long muzzles due to other genetic factors that are not yet known to science.

Likely medium or long muzzle (CC)

Tail Length (T)

Whereas most dogs have two **C** alleles and a long tail, dogs with one **G** allele are likely to have a bobtail, which is an unusually short or absent tail. This mutation causes natural bobtail in many breeds including the Pembroke Welsh Corgi, the Australian Shepherd, and the Brittany Spaniel. Dogs with **GG** genotypes have not been observed, suggesting that dogs with the **GG** genotype do not survive to birth. Please note that this mutation does not explain every natural bobtail! While certain lineages of Boston Terrier, English Bulldog, Rottweiler, Miniature Schnauzer, Cavalier King Charles Spaniel, and Parson Russell Terrier, and Dobermans are born with a natural bobtail, these breeds do not have this mutation. This suggests that other unknown genetic mutations can also lead to a natural bobtail.

Likely normal-length tail (CC)

Hind Dewclaws (LMBR1)

Common in certain breeds such as the Saint Bernard, hind dewclaws are extra, nonfunctional digits located midway between a dog's paw and hock. Dogs with at least one copy of the **T** allele have about a 50% chance of having hind dewclaws. Note that other (currently unknown to science) mutations can also cause hind dewclaws, so some **CC** or **TC** dogs will have hind dewclaws.

Unlikely to have hind dew claws (CC)







embk.me/pensivekhyzyldesneigesdelaltai

TRAITS: OTHER BODY FEATURES (CONTINUED)

TRAIT RESULT

Chondrodysplasia (Chr. 18 FGF4 Retrogene)

Dogs with one or two copies of the I allele will exhibit a short-legged trait known as chondrodysplasia (CDPA). CDPA is a breed-defining characteristic of many breeds exhibiting the "short-legged, long-bodied" appearance known as disproportionate dwarfism, including the corgi, dachshund and basset hound. The impact of the I allele on leg length is additive. Therefore, dogs with the II result display the largest reduction in leg length. Dogs with the NI genotype will have an intermediate leg length, while dogs with the NN result will not exhibit leg shortening due to this variant. Breeds that display disproportionate dwarfism also frequently inherit a genetic variant known as the chondrodystrophy (CDDY) variant. The CDDY variant also shortens legs (in a less significant amount than CDPA) but, secondarily, increases the risk of Type I Intervertebral Disc Disease (IVDD). Test results for CDDY are listed in this dog's health testing results under "Intervertebral Disc Disease (Type I)". In contrast, the CDPA variant has NOT been shown to increase the risk of IVDD.

Not indicative of chondrodysplasia (normal leg length) (NN)

Blue Eye Color (ALX4) LINKAGE

Embark researchers discovered this large duplication associated with blue eyes in Arctic breeds like Siberian Husky as well as tri-colored (non-merle) Australian Shepherds. Dogs with at least one copy of the duplication (**Dup**) are more likely to have at least one blue eye. Some dogs with the duplication may have only one blue eye (complete heterochromia) or may not have blue eyes at all; nevertheless, they can still pass the duplication and the trait to their offspring. **NN** dogs do not carry this duplication, but may have blue eyes due to other factors, such as merle. Please note that this is a linkage test, so it may not be as predictive as direct tests of the mutation in some lines.

Less likely to have blue eyes (NN)

Back Muscling & Bulk, Large Breed (ACSL4)

The **T** allele is associated with heavy muscling along the back and trunk in characteristically "bulky" large-breed dogs including the Saint Bernard, Bernese Mountain Dog, Greater Swiss Mountain Dog, and Rottweiler. The "bulky" **T** allele is absent from leaner shaped large breed dogs like the Great Dane, Irish Wolfhound, and Scottish Deerhound, which are fixed for the ancestral **C** allele. Note that this mutation does not seem to affect muscling in small or even mid-sized dog breeds with notable back muscling, including the American Staffordshire Terrier, Boston Terrier, and the English Bulldog.

Likely normal muscling (CC)







TRAITS: BODY SIZE

TRAIT		RESULT
Body Size (IGF1) The I allele is associated with smaller body size.	Larger (NN)	
Body Size (IGFR1) The A allele is associated with smaller body size.	Larger (GG)	
Body Size (STC2) The A allele is associated with smaller body size.	Larger (TT)	
Body Size (GHR - E191K) The A allele is associated with smaller body size.	Larger (GG)	
Body Size (GHR - P177L) The T allele is associated with smaller body size.	Larger (CC)	





TRAITS: PERFORMANCE

TRAIT RESULT

Altitude Adaptation (EPAS1)

This mutation causes dogs to be especially tolerant of low oxygen environments (hypoxia), such as those found at high elevations. Dogs with at least one $\bf A$ allele are less susceptible to "altitude sickness." This mutation was originally identified in breeds from high altitude areas such as the Tibetan Mastiff.

Normal altitude tolerance (GG)

Appetite (POMC) LINKAGE

This mutation in the POMC gene is found primarily in Labrador and Flat Coated Retrievers. Compared to dogs with no copies of the mutation (NN), dogs with one (ND) or two (DD) copies of the mutation are more likely to have high food motivation, which can cause them to eat excessively, have higher body fat percentage, and be more prone to obesity. Read more about the genetics of POMC, and learn how you can contribute to research, in our blog post (https://embarkvet.com/resources/blog/pomc-dogs/). We measure this result using a linkage test.

Normal food motivation (NN)









DNA Test Report

Test Date: January 23rd, 2024

embk.me/pensivekhyzyldesneigesdelaltai

HEALTH REPORT

How to interpret Khyzyl's genetic health results:

If Khyzyl inherited any of the variants that we tested, they will be listed at the top of the Health Report section, along with a description of how to interpret this result. We also include all of the variants that we tested Khyzyl for that we did not detect the risk variant for.

A genetic test is not a diagnosis

This genetic test does not diagnose a disease. Please talk to your vet about your dog's genetic results, or if you think that your pet may have a health condition or disease.

Summary

Khyzyl is not at increased risk for the genetic health conditions that Embark tests.

Clear results

Breed-relevant (12)

Other (243)





BREED-RELEVANT RESULTS

Research studies indicate that these results are more relevant to dogs like Khyzyl, and may influence her chances of developing certain health conditions.

Anhidrotic Ectodermal Dysplasia (EDA Intron 8)	Clear
Canine Leukocyte Adhesion Deficiency Type III, CLAD III (FERMT3, German Shepherd Variant)	Clear
Oay Blindness (CNGA3 Exon 7, German Shepherd Variant)	Clear
Obegenerative Myelopathy, DM (SOD1A)	Clear
Hemophilia A (F8 Exon 11, German Shepherd Variant 1)	Clear
Hemophilia A (F8 Exon 1, German Shepherd Variant 2)	Clear
O Ichthyosis (ASPRV1 Exon 2, German Shepherd Variant)	Clear
Mucopolysaccharidosis Type VII, Sly Syndrome, MPS VII (GUSB Exon 3, German Shepherd Variant)	Clear
Multiple Drug Sensitivity (ABCB1)	Clear
Platelet Factor X Receptor Deficiency, Scott Syndrome (TMEM16F)	Clear
Renal Cystadenocarcinoma and Nodular Dermatofibrosis (FLCN Exon 7)	Clear
Urate Kidney & Bladder Stones (SLC2A9)	Clear







OTHER RESULTS

Research has not yet linked these conditions to dogs with similar breeds to Khyzyl. Review any increased risk or notable results to understand her potential risk and recommendations.

2-DHA Kidney & Bladder Stones (APRT)	Clear
Acral Mutilation Syndrome (GDNF-AS, Spaniel and Pointer Variant)	Clear
Alaskan Husky Encephalopathy (SLC19A3)	Clear
Alaskan Malamute Polyneuropathy, AMPN (NDRG1 SNP)	Clear
Alexander Disease (GFAP)	Clear
ALT Activity (GPT)	Clear
Autosomal Dominant Progressive Retinal Atrophy (RHO)	Clear
Bald Thigh Syndrome (IGFBP5)	Clear
Bernard-Soulier Syndrome, BSS (GP9, Cocker Spaniel Variant)	Clear
Bully Whippet Syndrome (MSTN)	Clear
Canine Elliptocytosis (SPTB Exon 30)	Clear
Canine Fucosidosis (FUCA1)	Clear
Canine Leukocyte Adhesion Deficiency Type I, CLAD I (ITGB2, Setter Variant)	Clear
Canine Multifocal Retinopathy, cmr1 (BEST1 Exon 2)	Clear
Canine Multifocal Retinopathy, cmr2 (BEST1 Exon 5, Coton de Tulear Variant)	Clear
Canine Multifocal Retinopathy, cmr3 (BEST1 Exon 10 Deletion, Finnish and Swedish Lapphund, Lapponian Herder Variant)	Clear
Canine Multiple System Degeneration (SERAC1 Exon 4, Chinese Crested Variant)	Clear
Oanine Multiple System Degeneration (SERAC1 Exon 15, Kerry Blue Terrier Variant)	Clear





OTHER RESULTS

Cardiomyopathy and Juvenile Mortality (YARS2)	Clear
Centronuclear Myopathy, CNM (PTPLA)	Clear
Cerebellar Hypoplasia (VLDLR, Eurasier Variant)	Clear
Chondrodystrophy (ITGA10, Norwegian Elkhound and Karelian Bear Dog Variant)	Clear
Cleft Lip and/or Cleft Palate (ADAMTS20, Nova Scotia Duck Tolling Retriever Variant)	Clear
Cleft Palate, CP1 (DLX6 intron 2, Nova Scotia Duck Tolling Retriever Variant)	Clear
Cobalamin Malabsorption (CUBN Exon 8, Beagle Variant)	Clear
Cobalamin Malabsorption (CUBN Exon 53, Border Collie Variant)	Clear
Collie Eye Anomaly (NHEJ1)	Clear
Omplement 3 Deficiency, C3 Deficiency (C3)	Clear
Congenital Cornification Disorder (NSDHL, Chihuahua Variant)	Clear
Congenital Hypothyroidism (TPO, Rat, Toy, Hairless Terrier Variant)	Clear
Congenital Hypothyroidism (TPO, Tenterfield Terrier Variant)	Clear
Congenital Hypothyroidism with Goiter (TPO Intron 13, French Bulldog Variant)	Clear
Congenital Hypothyroidism with Goiter (SLC5A5, Shih Tzu Variant)	Clear
	Clear
Congenital Hypothyroidism with Goiter (SLC5A5, Shih Tzu Variant)	







OTHER RESULTS

O Congenital Myasthenic Syndrome, CMS (CHAT, Old Danish Pointing Dog Variant) Clear ○ Congenital Myasthenic Syndrome, CMS (CHRNE, Jack Russell Terrier Variant) Clear ○ Congenital Stationary Night Blindness (LRIT3, Beagle Variant) Clear ○ Congenital Stationary Night Blindness (RPE65, Briard Variant) Clear ○ Craniomandibular Osteopathy, CMO (SLC37A2) Clear ○ Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant) Clear ○ Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ○ Cystinuria Type II-B (SLC3A1, Australian Cattle Dog Variant) Clear ○ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ○ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ○ Day Blindness (CNGB3 Exon 7, Labrador Retriever Variant) Clear ○ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ○ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ○ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ○ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ○ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear ○ Dilated Cardiomyopathy, DCM1 (PDK4, Doberman Pinscher Variant 1) Clear		
✓ Congenital Stationary Night Blindness (LRIT3, Beagle Variant) Clear ✓ Congenital Stationary Night Blindness (RPE65, Briard Variant) Clear ✓ Craniomandibular Osteopathy, CMO (SLC37A2) Clear ✓ Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant) Clear ✓ Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ✓ Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGB3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MY07A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Congenital Myasthenic Syndrome, CMS (CHAT, Old Danish Pointing Dog Variant)	Clear
② Congenital Stationary Night Blindness (RPE65, Briard Variant) Clear ② Craniomandibular Osteopathy, CMO (SLC37A2) Clear ② Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant) Clear ② Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ② Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ② Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ② Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ② Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ② Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ② Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ② Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ② Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ② Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ② Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Ongenital Myasthenic Syndrome, CMS (CHRNE, Jack Russell Terrier Variant)	Clear
✓ Craniomandibular Osteopathy, CMO (SLC37A2) Clear ✓ Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant) Clear ✓ Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ✓ Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Ongenital Stationary Night Blindness (LRIT3, Beagle Variant)	Clear
✓ Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant) Clear ✓ Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ✓ Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Ongenital Stationary Night Blindness (RPE65, Briard Variant)	Clear
✓ Cystinuria Type I-A (SLC3A1, Newfoundland Variant) Clear ✓ Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MY07A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Craniomandibular Osteopathy, CMO (SLC37A2)	Clear
✓ Cystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant) Clear ✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Craniomandibular Osteopathy, CMO (SLC37A2 Intron 16, Basset Hound Variant)	Clear
✓ Cystinuria Type II-B (SLC7A9, Miniature Pinscher Variant) Clear ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) Clear ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Oystinuria Type I-A (SLC3A1, Newfoundland Variant)	Clear
 ✓ Day Blindness (CNGB3 Deletion, Alaskan Malamute Variant) ✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) 	Oystinuria Type II-A (SLC3A1, Australian Cattle Dog Variant)	Clear
✓ Day Blindness (CNGA3 Exon 7, Labrador Retriever Variant) Clear ✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Oystinuria Type II-B (SLC7A9, Miniature Pinscher Variant)	Clear
✓ Day Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant) Clear ✓ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Oay Blindness (CNGB3 Deletion, Alaskan Malamute Variant)	Clear
⊘ Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MYO7A) Clear ⊘ Demyelinating Polyneuropathy (SBF2/MTRM13) Clear ⊘ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) Clear ⊘ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Clear ⊘ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Oay Blindness (CNGA3 Exon 7, Labrador Retriever Variant)	Clear
 ✓ Demyelinating Polyneuropathy (SBF2/MTRM13) ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) ✓ Clear 	Oay Blindness (CNGB3 Exon 6, German Shorthaired Pointer Variant)	Clear
 ✓ Dental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant) ✓ Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) ✓ Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) Clear	Opening Deafness and Vestibular Syndrome of Dobermans, DVDob, DINGS (MY07A)	Clear
 Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant) Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) 	Demyelinating Polyneuropathy (SBF2/MTRM13)	Clear
 Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant) 	Oental-Skeletal-Retinal Anomaly (MIA3, Cane Corso Variant)	Clear
	Oiffuse Cystic Renal Dysplasia and Hepatic Fibrosis (INPP5E Intron 9, Norwich Terrier Variant)	Clear
Oilated Cardiomyopathy, DCM1 (PDK4, Doberman Pinscher Variant 1)	Dilated Cardiomyopathy, DCM (RBM20, Schnauzer Variant)	Clear
	Oilated Cardiomyopathy, DCM1 (PDK4, Doberman Pinscher Variant 1)	Clear







OTHER RESULTS

Oilated Cardiomyopathy, DCM2 (TTN, Doberman Pinscher Variant 2)	Clear
Oisproportionate Dwarfism (PRKG2, Dogo Argentino Variant)	Clear
Ory Eye Curly Coat Syndrome (FAM83H Exon 5)	Clear
Opstrophic Epidermolysis Bullosa (COL7A1, Central Asian Shepherd Dog Variant)	Clear
Opstrophic Epidermolysis Bullosa (COL7A1, Golden Retriever Variant)	Clear
Early Bilateral Deafness (LOXHD1 Exon 38, Rottweiler Variant)	Clear
Early Onset Adult Deafness, EOAD (EPS8L2 Deletion, Rhodesian Ridgeback Variant)	Clear
Early Onset Cerebellar Ataxia (SEL1L, Finnish Hound Variant)	Clear
Ehlers Danlos (ADAMTS2, Doberman Pinscher Variant)	Clear
Enamel Hypoplasia (ENAM Deletion, Italian Greyhound Variant)	Clear
Enamel Hypoplasia (ENAM SNP, Parson Russell Terrier Variant)	Clear
Episodic Falling Syndrome (BCAN)	Clear
Exercise-Induced Collapse, EIC (DNM1)	Clear
Factor VII Deficiency (F7 Exon 5)	Clear
Factor XI Deficiency (F11 Exon 7, Kerry Blue Terrier Variant)	Clear
Familial Nephropathy (COL4A4 Exon 3, Cocker Spaniel Variant)	Clear
Familial Nephropathy (COL4A4 Exon 30, English Springer Spaniel Variant)	Clear
Fanconi Syndrome (FAN1, Basenji Variant)	Clear







OTHER RESULTS

Fetal-Onset Neonatal Neuroaxonal Dystrophy (MFN2, Giant Schnauzer Variant)	Clear
Glanzmann's Thrombasthenia Type I (ITGA2B Exon 13, Great Pyrenees Variant)	Clear
Glanzmann's Thrombasthenia Type I (ITGA2B Exon 12, Otterhound Variant)	Clear
Globoid Cell Leukodystrophy, Krabbe disease (GALC Exon 5, Terrier Variant)	Clear
Glycogen Storage Disease Type IA, Von Gierke Disease, GSD IA (G6PC, Maltese Variant)	Clear
Glycogen Storage Disease Type IIIA, GSD IIIA (AGL, Curly Coated Retriever Variant)	Clear
Glycogen storage disease Type VII, Phosphofructokinase Deficiency, PFK Deficiency (PFKM, Whippet and English Springer Spaniel Variant)	Clear
Glycogen storage disease Type VII, Phosphofructokinase Deficiency, PFK Deficiency (PFKM, Wachtelhund Variant)	Clear
	Clear
Golden Retriever Progressive Retinal Atrophy 1, GR-PRA1 (SLC4A3)	Clear
Golden Retriever Progressive Retinal Atrophy 2, GR-PRA2 (TTC8)	Clear
Goniodysgenesis and Glaucoma, Pectinate Ligament Dysplasia, PLD (OLFM3)	Clear
	Clear
Hemophilia B (F9 Exon 7, Terrier Variant)	Clear





DNA Test Report Test Date: January 23rd, 2024 emb

embk.me/pensivekhyzyldesneigesdelaltai

OTHER RESULTS

⊘ Hemophilia B (F9 Exon 7, Rhodesian Ridgeback Variant) Clear ⊘ Hereditary Ataxia, Cerebellar Degeneration (RAB24, Old English Sheepdog and Gordon Setter Variant) Clear ⊘ Hereditary Cataracts (HSF4 Exon 9, Australian Shepherd Variant) Clear ⊘ Hereditary Footpad Hyperkeratosis (FAM83G, Terrier and Kromfohrlander Variant) Clear ⊘ Hereditary Footpad Hyperkeratosis (DSG1, Rottweiler Variant) Clear ⊘ Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant) Clear ⊘ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ⊘ Hypocatalasia, Acatalasemia (CAT) Clear ⊘ Hypomyellnation and Tremors (FNIP2, Weimaraner Variant) Clear ⊘ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ⊘ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ⊘ Ichthyosis (SLC27A4, Great Dane Variant) Clear ⊘ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ⊘ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ⊘ Inherited Myopathy of Great Danes (BIN1) Clear ⊘ Inherited Selected Cobalamin Malabsorption with Proteinuria (CUBN, Komondor Variant) Clear		
✓ Hereditary Cataracts (HSF4 Exon 9, Australian Shepherd Variant) Clear ✓ Hereditary Footpad Hyperkeratosis (FAM83G, Terrier and Kromfohrlander Variant) Clear ✓ Hereditary Footpad Hyperkeratosis (DSG1, Rottweiler Variant) Clear ✓ Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant) Clear ✓ Hereditary Nasal Parakeratosis, HNPK (SUV39H2) Clear ✓ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ✓ Hypocatalasia, Acatalasemia (CAT) Clear ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) Clear ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ✓ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ✓ Inflammatory Myopathy (SLC25A12) Clear ✓ Inherited Myopathy of Great Danes (BIN1) Clear	Hemophilia B (F9 Exon 7, Rhodesian Ridgeback Variant)	Clear
☑ Hereditary Footpad Hyperkeratosis (FAM83G, Terrier and Kromfohrlander Variant) Clear ☑ Hereditary Footpad Hyperkeratosis (DSG1, Rottweiler Variant) Clear ☑ Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant) Clear ☑ Hereditary Nasal Parakeratosis, HNPK (SUV39H2) Clear ☑ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ☑ Hypocatalasia, Acatalasemia (CAT) Clear ☑ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) Clear ☑ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ☑ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ☑ Ichthyosis (SLC27A4, Great Dane Variant) Clear ☑ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ☑ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ☑ Inflammatory Myopathy (SLC25A12) Clear ☑ Inherited Myopathy of Great Danes (BIN1) Clear	Hereditary Ataxia, Cerebellar Degeneration (RAB24, Old English Sheepdog and Gordon Setter Variant)	Clear
✓ Hereditary Footpad Hyperkeratosis (DSG1, Rottweiler Variant) Clear ✓ Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant) Clear ✓ Hereditary Nasal Parakeratosis, HNPK (SUV39H2) Clear ✓ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ✓ Hypocatalasia, Acatalasemia (CAT) Clear ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) Clear ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ✓ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ✓ Ichthyosis (SLC27A4, Great Dane Variant) Clear ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ✓ Inflammatory Myopathy (SLC25A12) Clear ✓ Inherited Myopathy of Great Danes (BIN1) Clear	Hereditary Cataracts (HSF4 Exon 9, Australian Shepherd Variant)	Clear
✓ Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant) Clear ✓ Hereditary Nasal Parakeratosis, HNPK (SUV39H2) Clear ✓ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ✓ Hypocatalasia, Acatalasemia (CAT) Clear ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) Clear ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ✓ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ✓ Ichthyosis (SLC27A4, Great Dane Variant) Clear ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ✓ Inflammatory Myopathy (SLC25A12) Clear ✓ Inherited Myopathy of Great Danes (BIN1) Clear	Hereditary Footpad Hyperkeratosis (FAM83G, Terrier and Kromfohrlander Variant)	Clear
✓ Hereditary Nasal Parakeratosis, HNPK (SUV39H2) Clear ✓ Hereditary Vitamin D-Resistant Rickets (VDR) Clear ✓ Hypocatalasia, Acatalasemia (CAT) Clear ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) Clear ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) Clear ✓ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ✓ Ichthyosis (SLC27A4, Great Dane Variant) Clear ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ✓ Inflammatory Myopathy (SLC25A12) Clear ✓ Inherited Myopathy of Great Danes (BIN1) Clear	Hereditary Footpad Hyperkeratosis (DSG1, Rottweiler Variant)	Clear
 ✓ Hereditary Vitamin D-Resistant Rickets (VDR) ✓ Hypocatalasia, Acatalasemia (CAT) ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) ✓ Ichthyosis (NIPAL4, American Bulldog Variant) ✓ Ichthyosis (SLC27A4, Great Dane Variant) ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) 	Hereditary Nasal Parakeratosis (SUV39H2 Intron 4, Greyhound Variant)	Clear
 ✓ Hypocatalasia, Acatalasemia (CAT) ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) ✓ Ichthyosis (NIPAL4, American Bulldog Variant) ✓ Ichthyosis (SLC27A4, Great Dane Variant) ✓ Ichthyosis (SLC27A4, Great Dane Variant) ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) 	Hereditary Nasal Parakeratosis, HNPK (SUV39H2)	Clear
 ✓ Hypomyelination and Tremors (FNIP2, Weimaraner Variant) ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) ✓ Ichthyosis (NIPAL4, American Bulldog Variant) ✓ Ichthyosis (SLC27A4, Great Dane Variant) ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) 	Hereditary Vitamin D-Resistant Rickets (VDR)	Clear
 ✓ Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant) ✓ Ichthyosis (NIPAL4, American Bulldog Variant) ✓ Ichthyosis (SLC27A4, Great Dane Variant) ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) 	Hypocatalasia, Acatalasemia (CAT)	Clear
⊘ Ichthyosis (NIPAL4, American Bulldog Variant) Clear ⊘ Ichthyosis (SLC27A4, Great Dane Variant) Clear ⊘ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ⊘ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ⊘ Inflammatory Myopathy (SLC25A12) Clear ⊘ Inherited Myopathy of Great Danes (BIN1) Clear	Hypomyelination and Tremors (FNIP2, Weimaraner Variant)	Clear
⊘ Ichthyosis (SLC27A4, Great Dane Variant) Clear ⊘ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) Clear ⊘ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) Clear ⊘ Inflammatory Myopathy (SLC25A12) Clear ⊘ Inherited Myopathy of Great Danes (BIN1) Clear	Hypophosphatasia (ALPL Exon 9, Karelian Bear Dog Variant)	Clear
 ✓ Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant) ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) Clear Clear	O Ichthyosis (NIPAL4, American Bulldog Variant)	Clear
 ✓ Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant) ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) Clear	O Ichthyosis (SLC27A4, Great Dane Variant)	Clear
 ✓ Inflammatory Myopathy (SLC25A12) ✓ Inherited Myopathy of Great Danes (BIN1) Clear	O Ichthyosis, Epidermolytic Hyperkeratosis (KRT10, Terrier Variant)	Clear
⊘ Inherited Myopathy of Great Danes (BIN1)	O Ichthyosis, ICH1 (PNPLA1, Golden Retriever Variant)	Clear
		Clear
Olear Inherited Selected Cobalamin Malabsorption with Proteinuria (CUBN, Komondor Variant)	⊘ Inherited Myopathy of Great Danes (BIN1)	Clear
	Inherited Selected Cobalamin Malabsorption with Proteinuria (CUBN, Komondor Variant)	Clear







DNA Test Report Test Date: January 23rd, 2024 embk.

embk.me/pensivekhyzyldesneigesdelaltai

OTHER RESULTS

✓ Intervertebral Disc Disease (Type I) (FGF4 retrogene - CFA12)	Clear
Intestinal Lipid Malabsorption (ACSL5, Australian Kelpie)	Clear
Junctional Epidermolysis Bullosa (LAMA3 Exon 66, Australian Cattle Dog Variant)	Clear
 Junctional Epidermolysis Bullosa (LAMB3 Exon 11, Australian Shepherd Variant) 	Clear
	Clear
Juvenile Laryngeal Paralysis and Polyneuropathy (RAB3GAP1, Rottweiler Variant)	Clear
	Clear
	Clear
	Clear
Laryngeal Paralysis (RAPGEF6, Miniature Bull Terrier Variant)	Clear
Late Onset Spinocerebellar Ataxia (CAPN1)	Clear
Late-Onset Neuronal Ceroid Lipofuscinosis, NCL 12 (ATP13A2, Australian Cattle Dog Variant)	Clear
	Clear
	Clear
	Clear
Leukodystrophy (TSEN54 Exon 5, Standard Schnauzer Variant)	Clear
	Clear







OTHER RESULTS

	Clear
O Long QT Syndrome (KCNQ1)	Clear
Lundehund Syndrome (LEPREL1)	Clear
Macular Corneal Dystrophy, MCD (CHST6)	Clear
Malignant Hyperthermia (RYR1)	Clear
May-Hegglin Anomaly (MYH9)	Clear
Methemoglobinemia (CYB5R3, Pit Bull Terrier Variant)	Clear
	Clear
Microphthalmia (RBP4 Exon 2, Soft Coated Wheaten Terrier Variant)	Clear
Mucopolysaccharidosis IIIB, Sanfilippo Syndrome Type B, MPS IIIB (NAGLU, Schipperke Variant)	Clear
Mucopolysaccharidosis Type IIIA, Sanfilippo Syndrome Type A, MPS IIIA (SGSH Exon 6, Dachshund Variant)	Clear
Mucopolysaccharidosis Type IIIA, Sanfilippo Syndrome Type A, MPS IIIA (SGSH Exon 6, New Zealand Huntaway Variant)	Clear
Mucopolysaccharidosis Type VI, Maroteaux-Lamy Syndrome, MPS VI (ARSB Exon 5, Miniature Pinscher Variant)	Clear
Mucopolysaccharidosis Type VII, Sly Syndrome, MPS VII (GUSB Exon 5, Terrier Brasileiro Variant)	Clear
Muscular Dystrophy (DMD, Cavalier King Charles Spaniel Variant 1)	Clear
Muscular Dystrophy (DMD, Golden Retriever Variant)	Clear
Musladin-Lueke Syndrome, MLS (ADAMTSL2)	Clear
Myasthenia Gravis-Like Syndrome (CHRNE, Heideterrier Variant)	Clear





DNA Test Report Test Date: January 23rd, 2024 embk.

embk.me/pensivekhyzyldesneigesdelaltai

OTHER RESULTS

Myotonia Congenita (CLCN1 Exon 23, Australian Cattle Dog Variant)	Clear
Myotonia Congenita (CLCN1 Exon 7, Miniature Schnauzer Variant)	Clear
Narcolepsy (HCRTR2 Exon 1, Dachshund Variant)	Clear
Narcolepsy (HCRTR2 Intron 4, Doberman Pinscher Variant)	Clear
Narcolepsy (HCRTR2 Intron 6, Labrador Retriever Variant)	Clear
Nemaline Myopathy (NEB, American Bulldog Variant)	Clear
Neonatal Cerebellar Cortical Degeneration (SPTBN2, Beagle Variant)	Clear
Neonatal Encephalopathy with Seizures, NEWS (ATF2)	Clear
Neonatal Interstitial Lung Disease (LAMP3)	Clear
Neuroaxonal Dystrophy, NAD (VPS11, Rottweiler Variant)	Clear
Neuroaxonal Dystrophy, NAD (TECPR2, Spanish Water Dog Variant)	Clear
Neuronal Ceroid Lipofuscinosis 1, NCL 1 (PPT1 Exon 8, Dachshund Variant 1)	Clear
Neuronal Ceroid Lipofuscinosis 10, NCL 10 (CTSD Exon 5, American Bulldog Variant)	Clear
Neuronal Ceroid Lipofuscinosis 2, NCL 2 (TPP1 Exon 4, Dachshund Variant 2)	Clear
Neuronal Ceroid Lipofuscinosis 5, NCL 5 (CLN5 Exon 4 SNP, Border Collie Variant)	Clear
Neuronal Ceroid Lipofuscinosis 5, NCL 5 (CLN5 Exon 4 Deletion, Golden Retriever Variant)	Clear
Neuronal Ceroid Lipofuscinosis 6, NCL 6 (CLN6 Exon 7, Australian Shepherd Variant)	Clear







OTHER RESULTS

Neuronal Ceroid Lipofuscinosis 8, NCL 8 (CLN8, Australian Shepherd Variant)	Clear
Neuronal Ceroid Lipofuscinosis 8, NCL 8 (CLN8 Exon 2, English Setter Variant)	Clear
Neuronal Ceroid Lipofuscinosis 8, NCL 8 (CLN8 Insertion, Saluki Variant)	Clear
Neuronal Ceroid Lipofuscinosis, Cerebellar Ataxia, NCL4A (ARSG Exon 2, American Staffordshire Terrier Variant)	Clear
Oculocutaneous Albinism, OCA (SLC45A2 Exon 6, Bullmastiff Variant)	Clear
Oculocutaneous Albinism, OCA (SLC45A2, Small Breed Variant)	Clear
Oculoskeletal Dysplasia 2 (COL9A2, Samoyed Variant)	Clear
Osteochondrodysplasia (SLC13A1, Poodle Variant)	Clear
Osteogenesis Imperfecta (COL1A2, Beagle Variant)	Clear
Osteogenesis Imperfecta (SERPINH1, Dachshund Variant)	Clear
Osteogenesis Imperfecta (COL1A1, Golden Retriever Variant)	Clear
P2Y12 Receptor Platelet Disorder (P2Y12)	Clear
Pachyonychia Congenita (KRT16, Dogue de Bordeaux Variant)	Clear
Paroxysmal Dyskinesia, PxD (PIGN)	Clear
Persistent Mullerian Duct Syndrome, PMDS (AMHR2)	Clear
Pituitary Dwarfism (POU1F1 Intron 4, Karelian Bear Dog Variant)	Clear
Polycystic Kidney Disease, PKD (PKD1)	Clear
Pompe's Disease (GAA, Finnish and Swedish Lapphund, Lapponian Herder Variant)	Clear







OTHER RESULTS

⊘ Prekallikrein Deficiency (KLKB1 Exon 8) Clear ⊘ Primary Ciliary Dyskinesia, PCD (NME5, Alaskan Malamute Variant) Clear ⊘ Primary Ciliary Dyskinesia, PCD (CCDC39 Exon 3, Old English Sheepdog Variant) Clear ⊘ Primary Hyperoxaluria (AGXT) Clear ⊘ Primary Lens Luxation (ADAMTS17) Clear ⊘ Primary Open Angle Glaucoma (ADAMTS17 Exon 11, Basset Fauve de Bretagne Variant) Clear ⊘ Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant) Clear ⊘ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elikhound Variant) Clear ⊘ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) Clear ⊘ Progressive Retinal Atrophy (SAG) Clear ⊘ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) Clear ⊘ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) Clear ⊘ Progressive Retinal Atrophy, cnd4/cord1 (RPGRIP1) Clear ⊘ Progressive Retinal Atrophy, prd4/cord1 (RPGRIP1) Clear ⊘ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear ⊘ Progressive Retinal Atrophy, prd4 (PRCD Exon 1) Clear		
 ○ Primary Ciliary Dyskinesia, PCD (CCDC39 Exon 3, Old English Sheepdog Variant) ○ Primary Hyperoxaluria (AQXT) ○ Clear ○ Primary Lens Luxation (ADAMTS17) ○ Clear ○ Primary Open Angle Glaucoma (ADAMTS17 Exon 11, Basset Fauve de Bretagne Variant) ○ Clear ○ Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant) ○ Clear ○ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) ○ Clear ○ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) ○ Progressive Retinal Atrophy (SAG) ○ Clear ○ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) ○ Clear ○ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) ○ Clear ○ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ○ Clear ○ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ○ Clear ○ Progressive Retinal Atrophy, PRA1 (CNGB1) ○ Progressive Retinal Atrophy, PRA1 (CNGB1) ○ Clear ○ Progressive Retinal Atrophy, PRA3 (FAM161A) 	Prekallikrein Deficiency (KLKB1 Exon 8)	Clear
	Primary Ciliary Dyskinesia, PCD (NME5, Alaskan Malamute Variant)	Clear
✓ Primary Lens Luxation (ADAMTS17) Clear ✓ Primary Open Angle Glaucoma (ADAMTS17 Exon 11, Basset Fauve de Bretagne Variant) Clear ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant) Clear ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) Clear ✓ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) Clear ✓ Progressive Retinal Atrophy (SAG) Clear ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) Clear ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) Clear ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) Clear ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) Clear ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) Clear ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) Clear ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear	Primary Ciliary Dyskinesia, PCD (CCDC39 Exon 3, Old English Sheepdog Variant)	Clear
 ✓ Primary Open Angle Glaucoma (ADAMTS17 Exon 11, Basset Fauve de Bretagne Variant) ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant) ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) ✓ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) ✓ Progressive Retinal Atrophy (SAG) ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) ✓ Clear ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) 	Primary Hyperoxaluria (AGXT)	Clear
✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant) Clear ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) Clear ✓ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) Clear ✓ Progressive Retinal Atrophy (SAG) Clear ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) Clear ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) Clear ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) Clear ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) Clear ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) Clear ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) Clear ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear	Primary Lens Luxation (ADAMTS17)	Clear
 ✓ Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant) ✓ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) ✓ Progressive Retinal Atrophy (SAG) ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) ✓ Clear ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Clear 	Primary Open Angle Glaucoma (ADAMTS17 Exon 11, Basset Fauve de Bretagne Variant)	Clear
✓ Primary Open Angle Glaucoma and Primary Lens Luxation (ADAMTS17 Exon 2, Chinese Shar-Pei Variant) Clear ✓ Progressive Retinal Atrophy (SAG) Clear ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) Clear ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) Clear ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) Clear ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) Clear ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) Clear ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) Clear ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear	Primary Open Angle Glaucoma (ADAMTS10 Exon 17, Beagle Variant)	Clear
Variant) ○ Progressive Retinal Atrophy (SAG) Clear ○ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) Clear ○ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) Clear ○ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) Clear ○ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) Clear ○ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) Clear ○ Progressive Retinal Atrophy, PRA1 (CNGB1) Clear ○ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear	Primary Open Angle Glaucoma (ADAMTS10 Exon 9, Norwegian Elkhound Variant)	Clear
 ✓ Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant) ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Clear 		Clear
 ✓ Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant) ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Clear 	Progressive Retinal Atrophy (SAG)	Clear
 ✓ Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9) ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Clear 	Progressive Retinal Atrophy (IFT122 Exon 26, Lapponian Herder Variant)	Clear
 ✓ Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant) ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) ✓ Clear 	Progressive Retinal Atrophy, Bardet-Biedl Syndrome (BBS2 Exon 11, Shetland Sheepdog Variant)	Clear
 ✓ Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1) ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) Clear	Progressive Retinal Atrophy, CNGA (CNGA1 Exon 9)	Clear
 ✓ Progressive Retinal Atrophy, PRA1 (CNGB1) ✓ Progressive Retinal Atrophy, PRA3 (FAM161A) 	Progressive Retinal Atrophy, crd1 (PDE6B, American Staffordshire Terrier Variant)	Clear
 Progressive Retinal Atrophy, PRA3 (FAM161A) 	Progressive Retinal Atrophy, crd4/cord1 (RPGRIP1)	Clear
	Progressive Retinal Atrophy, PRA1 (CNGB1)	Clear
⊘ Progressive Retinal Atrophy, prcd (PRCD Exon 1)	Progressive Retinal Atrophy, PRA3 (FAM161A)	Clear
	Progressive Retinal Atrophy, prcd (PRCD Exon 1)	Clear







embk.me/pensivekhyzyldesneigesdelaltai

OTHER RESULTS

✓ Progressive Retinal Atrophy, rod3 (PDE6A) Clear ✓ Progressive Retinal Atrophy, rod3 (PDE6A) Clear ✓ Proportionate Dwarfism (GH1 Exon 5, Chihuahua Variant) Clear ✓ Protein Losing Nephropathy, PLN (NPHS1) Clear ✓ Pyruvate Dehydrogenase Deficiency (PDP1, Spaniel Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 5, Basenji Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM2OC) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear		
✓ Proportionate Dwarfism (GH1 Exon 5, Chihuahua Variant) Clear ✓ Protein Losing Nephropathy, PLN (NPHS1) Clear ✓ Pyruvate Dehydrogenase Deficiency (PDP1, Spaniel Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 5, Basenji Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM2OC) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Progressive Retinal Atrophy, rcd1 (PDE6B Exon 21, Irish Setter Variant)	Clear
✓ Protein Losing Nephropathy, PLN (NPHS1) Clear ✓ Pyruvate Dehydrogenase Deficiency (PDP1, Spaniel Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 5, Basenji Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM20C) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Progressive Retinal Atrophy, rcd3 (PDE6A)	Clear
✓ Pyruvate Dehydrogenase Deficiency (PDP1, Spaniel Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 5, Basenji Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM20C) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Proportionate Dwarfism (GH1 Exon 5, Chihuahua Variant)	Clear
	Protein Losing Nephropathy, PLN (NPHS1)	Clear
✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM20C) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Pyruvate Dehydrogenase Deficiency (PDP1, Spaniel Variant)	Clear
✓ Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM20C) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Pyruvate Kinase Deficiency (PKLR Exon 5, Basenji Variant)	Clear
✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant) Clear ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) Clear ✓ Raine Syndrome (FAM2OC) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Pyruvate Kinase Deficiency (PKLR Exon 7, Beagle Variant)	Clear
 ✓ Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant) ✓ Raine Syndrome (FAM2OC) ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) ✓ Clear 	Pyruvate Kinase Deficiency (PKLR Exon 10, Terrier Variant)	Clear
✓ Raine Syndrome (FAM20C) Clear ✓ Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Clear ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Clear ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Clear ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Pyruvate Kinase Deficiency (PKLR Exon 7, Labrador Retriever Variant)	Clear
Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant) Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) Sensory Neuropathy (FAM134B, Border Collie Variant) Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) Clear Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Pyruvate Kinase Deficiency (PKLR Exon 7, Pug Variant)	Clear
 ✓ Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant) ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) 	Raine Syndrome (FAM20C)	Clear
 ✓ Sensory Neuropathy (FAM134B, Border Collie Variant) ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Recurrent Inflammatory Pulmonary Disease, RIPD (AKNA, Rough Collie Variant)	Clear
 ✓ Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant) ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Retina Dysplasia and/or Optic Nerve Hypoplasia (SIX6 Exon 1, Golden Retriever Variant)	Clear
 ✓ Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant) ✓ Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Sensory Neuropathy (FAM134B, Border Collie Variant)	Clear
Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant) Clear	Severe Combined Immunodeficiency, SCID (PRKDC, Terrier Variant)	Clear
	Severe Combined Immunodeficiency, SCID (RAG1, Wetterhoun Variant)	Clear
Shar-Pei Autoinflammatory Disease, SPAID, Shar-Pei Fever (MTBP)	Shaking Puppy Syndrome (PLP1, English Springer Spaniel Variant)	Clear
	Shar-Pei Autoinflammatory Disease, SPAID, Shar-Pei Fever (MTBP)	Clear







OTHER RESULTS

Skeletal Dysplasia 2, SD2 (COL11A2, Labrador Retriever Variant)	Clear
Skin Fragility Syndrome (PKP1, Chesapeake Bay Retriever Variant)	Clear
Spinocerebellar Ataxia (SCN8A, Alpine Dachsbracke Variant)	Clear
Spinocerebellar Ataxia with Myokymia and/or Seizures (KCNJ10)	Clear
Spongy Degeneration with Cerebellar Ataxia 1 (KCNJ10)	Clear
Spongy Degeneration with Cerebellar Ataxia 2 (ATP1B2)	Clear
Stargardt Disease (ABCA4 Exon 28, Labrador Retriever Variant)	Clear
Succinic Semialdehyde Dehydrogenase Deficiency (ALDH5A1 Exon 7, Saluki Variant)	Clear
Thrombopathia (RASGRP1 Exon 5, American Eskimo Dog Variant)	Clear
Thrombopathia (RASGRP1 Exon 5, Basset Hound Variant)	Clear
Thrombopathia (RASGRP1 Exon 8, Landseer Variant)	Clear
Trapped Neutrophil Syndrome, TNS (VPS13B)	Clear
Ullrich-like Congenital Muscular Dystrophy (COL6A3 Exon 10, Labrador Retriever Variant)	Clear
Ullrich-like Congenital Muscular Dystrophy (COL6A1 Exon 3, Landseer Variant)	Clear
Unilateral Deafness and Vestibular Syndrome (PTPRQ Exon 39, Doberman Pinscher)	Clear
	Clear
	Clear







OTHER RESULTS

Von Willebrand Disease Type III, Type III vWD (VWF Intron 16, Nederlandse Kooikerhondje Variant)	Clear
On Willebrand Disease Type III, Type III vWD (VWF Exon 7, Shetland Sheepdog Variant)	Clear
X-Linked Hereditary Nephropathy, XLHN (COL4A5 Exon 35, Samoyed Variant 2)	Clear
X-Linked Myotubular Myopathy (MTM1, Labrador Retriever Variant)	Clear
X-Linked Progressive Retinal Atrophy 1, XL-PRA1 (RPGR)	Clear
X-linked Severe Combined Immunodeficiency, X-SCID (IL2RG Exon 1, Basset Hound Variant)	Clear
X-linked Severe Combined Immunodeficiency, X-SCID (IL2RG, Corgi Variant)	Clear
Xanthine Urolithiasis (XDH, Mixed Breed Variant)	Clear
β-Mannosidosis (MANBA Exon 16, Mixed-Breed Variant)	Clear
Mast Cell Tumor	No result







embk.me/pensivekhyzyldesneigesdelaltai


25%

INBREEDING AND DIVERSITY

CATEGORY RESULT

Coefficient Of Inbreeding

Our genetic COI measures the proportion of your dog's genome where the genes on the mother's side are identical by descent to those on the father's side.



MHC Class II - DLA DRB1

A Dog Leukocyte Antigen (DLA) gene, DRB1 encodes a major histocompatibility complex (MHC) protein involved in the immune response. Some studies have shown associations between certain DRB1 haplotypes and autoimmune diseases such as Addison's disease (hypoadrenocorticism) in certain dog breeds, but these findings have yet to be scientifically validated.

High Diversity

How common is this amount of diversity in purebreds:



MHC Class II - DLA DQA1 and DQB1

DQA1 and DQB1 are two tightly linked DLA genes that code for MHC proteins involved in the immune response. A number of studies have shown correlations of DQA-DQB1 haplotypes and certain autoimmune diseases; however, these have not yet been scientifically validated.

High Diversity

How common is this amount of diversity in purebreds:

